# Original Article

# Relationship between intima-media thickness and bone mineral density in postmenopausal women: a cross-sectional study

Afshin Mohammadi<sup>1</sup>, Kamran Shateri<sup>2</sup>, Farhad Behzadi<sup>1</sup>, Tooraj Maleki-Miandoab<sup>1</sup>, Emal Lesha<sup>3,4</sup>, Mohammad Ghasemi-rad<sup>4,5</sup>, Yousef Rosta<sup>2</sup>

<sup>1</sup>Department of Radiology, Solid Tumor Research Center, Urmia University of Medical Sciences, Urmia 5716763111, Iran; <sup>2</sup>Department of Gastroenterology, Imam Khomaini Hospital, Urmia University of Medical Sciences, Urmia 5716763111, Iran; <sup>3</sup>College of Science and Mathematics, University of Massachusetts Boston, Boston, MA 02125, United States; <sup>4</sup>Center for Biomedical Engineering, Department of Medicine, Brigham and Women's Hospital, Harvard Medical School, Cambridge, MA 02139, United States; <sup>5</sup>Harvard-MIT Division of Health Sciences and Technology, Massachusetts Institute of Technology, Cambridge, MA 02139, United States

Received November 11, 2014; Accepted November 26, 2014; Epub December 15, 2014; Published December 30, 2014

Abstract: Background: Osteoporosis and atherosclerosis are two conditions that confer the major cause of mortality and morbidity in postmenopausal women. Several studies have suggested that these two conditions are negatively correlated by a common pathway. The aim of our study was to show a relationship between bone mineral density (BMD) and carotid intima media thickness (CIMT), as two factors that are directly related to osteoporosis and atherosclerosis respectively. Methods: The study group consisted of 136 postmenopausal women that presented at the Radiology Clinic of our hospital for BMD measurements. The CIMT was measured using High Resolution B mode Ultrasonography; BMD was measured at the lumbar spine and femoral neck using Dual-energy X-Ray Absorptiometry. Results: The mean IMT value in osteoporotic women  $(0.7\pm0.1 \text{ mm})$  was significantly higher compared to non-osteoporotic women  $(0.6\pm0.1 \text{ mm}, P < 0.001)$ . A significant negative correlation was found between CIMT and the T score of lumbar spine (r=-0.35; P < 0.001) and femoral neck (r=-0.23, P < 0.001), as well as Z score of the lumbar spine (r=-0.27, P=0.004). No significant correlation was found between CIMT and Z score of the femoral neck. Conclusion: Our study shows that bone mineral density and carotid intima media thickness are negatively correlated, thus showing a possible relationship between osteoporosis and atherosclerosis. However, more research is necessary to determine the pathway that connects these two conditions.

Keywords: Bone mineral density, carotid intima media thickness, postmenopausal women, osteoporosis


#### Introduction

Osteoporosis and atherosclerosis are two conditions that seriously affect the health and lifestyle of a significant part of the female population, especially after menopause. The major causes of morbidity and mortality in postmenopausal women are osteoporosis and cardiovascular diseases [1]. These conditions could lead to bone fractures, myocardial infarction, as well as chances of stroke. The risk for osteoporosis and atherosclerosis is greatly elevated in postmenopausal women due to different factors, including the decline in estrogen production.

A possible relationship between osteoporosis and atherosclerosis has been suggested in the

past years. Currently, it has been shown that low bone mineral density (BMD) in postmeno-pausal women is associated with an increase in cardiovascular mortality [1]. A large number of studies have suggested that bone metabolism and vasculature may be affected by a common pathway negatively [2-5]. Despite the nature of the association between osteoporosis and atherosclerosis remains unclear, such a finding would have a great impact for the health of postmenopausal women, but also for the rest of the population.

Ultrasonographic measurement of carotid intima-media thickness (CIMT) is a noninvasive method for demonstrating subclinical athero-



**Figure 1.** Longitudinal ultrasonograms show Auto Intima Media Thickness (AIMT) measurement at the near and far wall of the common carotid artery (as denoted by the red arrows). A. Normal Intima Media Thickness with mean thickness of 0.5 mm in a patient with normal BMD. B. Higher Intima Media Thickness with mean thickness of 0.70 mm in a patient with lower BMD.

**Table 1.** Characteristics of the study group (n=136)

Characteristic	Total subjects Mean ± SD	Two groups		- P value
		Without osteoporosis	With osteoporosis	r value
Age (years)	50.54±9.60	58.93±9.19	56.52±8.81	0.85
BMI	29.93±7.46	30.41±8.05	28.12±4.24	0.07
Total cholesterol	109.31±39.34	108.53±39.05	112.21±40.90	0.65
TG	130.92±13.96	133.53±51.96	121.21±46.11	0.24
FBS	95.25±13.96	94.90±12.96	96.55±17.41	0.90
SBP	118.97±15.33	119.06±15.40	118.62±15.46	0.98
DBP	79.30±7.51	79.67±7.56	77.76±7.30	0.24
IMT	0.62±0.11	0.60±0.19	0.70±0.09	< 0.01

BMI, body mass index; TG, triglycerides; FBS, Fasting Blood Glucose; SBP, systolic blood pressure; DBP, diastolic blood pressure; IMT, intima media thickness.

sclerosis. Increased CIMT has a significant relationship with the presence and severity of coronary atherosclerosis, and has been proven to be a beneficial clinical index in the early recognition of general atherosclerosis [6]. Previous studies showed that women with echogenic plaques in comparison to women without plaques are at a higher risk of nonvertebral fractures [7]. In general, increased CIMT is correlated with future cardiovascular diseases [8, 9], thus it is an important clinical factor to be considered for research purposes.


The aims of the present study were to determine the relationship between BMD measured at different sites in postmenopausal women referred for routine bone density screening,

and IMT; as well as to establish whether there is any relationship between BMD and subclinical atherosclerosis.

#### Methods

One hundred thirty six postmenopausal women (if menopause had occurred at least two years before) were enrolled in our study, from those patients presenting for BMD measurement at the Radiology clinic of our teaching hospital.

Subjects with a history of alcohol consumption, usage of hormone replacement therapy or medications affecting bone metabolism (corticosteroids, anticonvulsants or oral anticoagulants) were not enrolled in the study. Those sub-



**Figure 2.** Correlation between IMT and: A. T score of femoral neck ( $T_{hip}$ ) ( $R^2$ =0.074, P < 0.001); B. Z score of femoral neck ( $Z_{hip}$ ) ( $R^2$ =0.013, P=0.11); C. T score of lumbar spine ( $T_{Spine}$ ) ( $R^2$ =0.125, P < 0.001); D. Z score of lumbar spine ( $Z_{Spine}$ ) ( $R^2$ =0.0054, P=0.004).

jects with conditions that interfere with bone metabolism or vasculature, such as thyroid disorders, malabsorption, chronic renal failure, diabetes mellitus, history of hypertension, hyperlipidemia, smoking and liver disorders were excluded from the study.

The study protocol was approved by the Ethics Committee of our University, and written informed consent was obtained from each subject prior to enrollment. Both carotid IMT and BMD were performed on the same day. Bone density was measured at the lumbar spine (L1- L4) and femoral neck by means of dual-energy X-ray absorptiometry (DXA), and the results were recor-

ded. The BMD measurements in all subjects were obtained by the same densitometer.

The results were expressed as T-scores, Z Scores and the standard deviation (SD) from the peak adult BMD. According to the World Health Organization's criteria for diagnosing osteoporosis, the women were classified into two groups: with osteoporosis, i.e. more than 2.5 SDs below the mean value for young adults with normal BMD; and without osteoporosis (normal or osteopenia: a BMD value that was 1-2.5 SDs below the mean value for young adults). All the measurements were made by one operator.

High resolution B mode ultrasonography of the right common carotid artery was performed using an ultrasound machine (Medison, Accuvix V 20, Prestige, South Korea) equipped with a 10 MHz linear array transducer. Patients were examined in the supine position with the head tilted backwards. After the carotid arteries were located by transverse scans, the probe was rotated at 90° to obtain and record a longitudinal image of the common carotid arteries.

The maximum CIMT was measured at the far wall of the common carotid artery, 2 cm before the bifurcation, as the distance between the first and second echogenic lines on the anterior and posterior arterial walls. The measurement was performed using Auto IMT measurement software (Figure 1). The image was focused on the posterior wall of the common carotid artery, and gain settings were used to optimize image quality. The measurement was performed vertically to the arterial wall for accurate measurement of CIMT.

### Statistical analysis

The results were analyzed with SPSS software. The Pearson chi-square test and Fisher exact test (if the expected values of the cells of a contingency table were below 5) was applied to evaluate the association between IMT and osteoporosis. Independent sample t-test (Mann Whitney in non-normal distribution) was used to study the association between osteoporosis and numerical variables. To obtain the degree of correlation we used the Spearman's rank correlation coefficient measure as well as multiple regression analysis.

# Results

Statistical analysis was performed in one hundred thirty six postmenopausal women. The mean age of subjects was 55.5±5 years old. Thirty three subjects (24.2%) from one hundred thirty six postmenopausal women were osteoporotic. There were no statistically significant different in BMI, fasting glucose level, triglyceride, total cholesterol, systolic and diastolic blood pressure, and age of subjects with and without osteoporosis. The results from the characteristics of the study groups are summarized in **Table 1**.

The mean ± SD value of IMT in osteoporotic women (0.7±0.1 mm) was significantly higher

than non-osteoporotic women (0.60 $\pm$ 0.1 mm, P < 0.001). The most significant negative correlation was found between carotid IMT and the T score of lumbar spine (r=-0.35; P < 0.001). A significant negative correlation was found between carotid IMT and the Z score of the lumbar spine (r=-0.23, P=0.004) and T score of the femoral neck (r=-0.27, P < 0.001). A negative correlation was found between carotid IMT and Z score of femoral neck as well, but this correlation was not statistically significant (r=-0.11, P=0.11). These statistical results are graphically represented in **Figure 2**.

## Discussion

The results of our study showed a negative correlation between IMT values and bone mineral density in different regions of the spine. The results were based on the T and Z scores of the lumbar spine and femoral neck. The only parameter that did not show significant differences was the Z score of the femoral neck. Osteoporotic patients (24.2%), as classified according to World's Health Organization criteria for diagnosing osteoporosis, showed higher IMT values than non-osteoporotic patients. Patients under hormone replacement therapy, corticosteroids and anticoagulants, as well as patients with thyroid disorders and diabetes were excluded from the study. All patients showed no differences in BMI, blood pressure, fat and glucose levels in the body. Considering the measures taken, the possibility that there is bias introduced in the study is very low.

The focus of the study was to show a possible relation between bone mineral density and atherosclerosis. The relationship between coronary heart diseases and osteoporosis has been long studied, and a negative correlation has been observed from several studies. This relationship has been proved mainly by studying the correlation between bone density and systemic calcified atherosclerosis [10], aortic calcification [11, 12], atherosclerosis of peripheral vessels [13] or arterial stiffness [14]. The goal of our study was to show a correlation between atherosclerosis and bone mineral density, by proving a possible relation between carotid intima-media thickness (CIMT) and bone mineral density.

Carotid intima-media thickness has been shown to be related to coronary heart diseases

and future cardiovascular events [9]. Studies have shown associations of CIMT with coronary heart disease risk factors [15]. Higher IMT has been seen in patients with incidence of heart failure, compared to those with no history of heart failure [16]. A more general study showed that patients with a history of coronary heart disease, as compared to those without, had a higher CIMT mean value [17]. Furthermore, CI-MT measurements can be beneficial in lowering the risk of cardiovascular diseases, in particular for women [18]. The results from these studies have clearly shown the correlation between IMT and coronary heart diseases, including atherosclerosis. Based on these results, it can be reasoned that by showing a correlation between BMD and IMT, an association can be made between BMD and atherosclerosis.

With the exception of a few studies, there has not been previous research on the association between CIMT and BMD. The results from our study were confirmed from another study conducted in postmenopausal women, which showed a similar association between CIMT and BMD [19]. However, this study measured femoral neck and total body BMD, compared to our study, which studied femoral neck and lumbar spine. Other studies have observed drugs and genetic markers that show a possible relationship between BMD and atherosclerosis, however, without coming to a conclusion about their association [20, 21]. It seems important to assess the relationship between these two pathways in particular for postmenopausal women. Studies have shown that in women who performed a surgical menopause, the CIMT scores are higher and the BMD scores are lower as compared to women who went through natural menopause [22]. Despite the former study did not suggest a correlation between BMD and CIMT, its results are significant and should be considered for the health of postmenopausal women.

# Conclusion

The results of our study showed that IMT is negatively correlated to BMD levels. By showing the correlation between carotid intima-media thickness and bone mineral density, we suggest an association in the pathophysiology of bone and coronary disorders. Further research is necessary in establishing a more conclusive relationship between these two pathways. Considering the association of CIMT to future

cardiovascular disorders and the long term benefits CIMT follow-ups could have, it might be beneficial to assess carotid arteries in osteoporotic women.

#### Disclosure of conflict of interest

None.

Address correspondence to: Dr. Kamran Shateri, Department of Gastroenterology, Imam Khomaini Hospital, Urmia University of Medical Sciences, Urmia 5716763111, Iran. E-mail: medman11@gmail.com

#### References

- [1] Lim YH, Shin J, Lee JU, Lim HK, Hong S, Kim MK, Choi BY and Kim YM. Bone Mineral Density is an Independent Determinant of Left Ventricular Mass Index in the General Female Population. Korean Circ J 2010; 40: 573-80.
- [2] Uyama O, Yoshimoto Y, Yamamoto Y and Kawai A. Bone changes and carotid atherosclerosis in postmenopausal women. Stroke 1997; 28: 1730-2.
- [3] Hak AE, Pols HA, van Hemert AM, Hofman A and Witteman JC. Progression of aortic calcification is associated with metacarpal bone loss during menopause: a population-based longitudinal study. Arterioscler Thromb Vasc Biol 2000; 20: 1926-31.
- [4] Tanko LB, Christiansen C, Cox DA, Geiger MJ, McNabb MA and Cummings SR. Relationship between osteoporosis and cardiovascular disease in postmenopausal women. J Bone Miner Res 2005; 20: 1912-20.
- [5] Barengolts El, Berman M, Kukreja SC, Kouznetsova T, Lin C and Chomka EV. Osteoporosis and coronary atherosclerosis in asymptomatic postmenopausal women. Calcif Tissue Int 1998: 62: 209-13.
- [6] Mohammadi A, Bazazi A and Ghasemi-Rad M. Evaluation of atherosclerotic findings in patients with nonalcoholic fatty liver disease. Int J Gen Med 2011; 4: 717-22.
- [7] Jorgensen L, Joakimsen O, Mathiesen EB, Ahmed L, Berntsen GK, Fonnebo V, Joakimsen R, Njolstad I, Schirmer H and Jacobsen BK. Carotid plaque echogenicity and risk of nonvertebral fractures in women: a longitudinal population-based Study. Calcif Tissue Int 2006; 79: 207-13.
- [8] Nair SB, Malik R and Khattar RS. Carotid intima-media thickness: ultrasound measurement, prognostic value and role in clinical practice. Postgrad Med J 2012; 88: 694-9.
- [9] Takasu J, Budoff MJ, Katz R, Rivera JJ, O'Brien KD, Shavelle DM, Probstfield JL, O'Leary D and Nasir K. Relationship between common carot-

# Carotid intima media thickness and menopause

- id intima-media thickness and thoracic aortic calcification: the multi-ethnic study of atherosclerosis. Atherosclerosis 2010; 209: 142-6.
- [10] Hyder JA, Allison MA, Criqui MH and Wright CH. Association between systemic calcified atherosclerosis and bone density. Calcif Tissue Int 2007; 80: 301-6.
- [11] Canepa M, Ameri P, AlGhatrif M, Pestelli G, Milaneschi Y, Strait JB, Giallauria F, Ghigliotti G, BrunelliC, Lakatta EG and Ferrucci L. Role of bone mineral density in the inverse relationship between body size and aortic calcification: results from the baltimore longitudinal study of aging. Atherosclerosis 2014; 235: 169-75.
- [12] van der Oord SC, Sijbrands EJ, ten Kate GL, van Klaveren D, van Domburg RT, van der Steen AF and Schinkel AF. Carotid intima-media thickness for cardiovascular risk assessment: systematic review and meta-analysis. Atherosclerosis 2013; 228: 1-11.
- [13] Pennisi P, Signorelli SS, Riccobene S, Celotta G, Di Pino L, La Malfa T and Fiore CE. Low bone density and abnormal bone turnover in patients with atherosclerosis of peripheral vessels. Osteoporos Int 2004; 15: 389-95.
- [14] Seo SK, Cho S, Kim HY, Choi YS, Park KH, Cho DJ and Lee BS. Bone mineral density, arterial stiffness, and coronary atherosclerosis in healthy postmenopausal women. Menopause 2009; 16: 937-43.
- [15] Polak JF, Post WS, Carr JJ, Szklo M and O'Leary DH. Associations of common carotid intimamedia thickness with coronary heart disease risk factors and events vary with distance from the carotid bulb. J Am Soc Echocardiogr 2014; 27: 991-7.
- [16] Effoe VS, Rodriguez CJ, Wagenknecht LE, Evans GW, Chang PP, Mirabelli MC and Bertoni AG. Carotid intima-media thickness is associated with incident heart failure among middleaged whites and blacks: the atherosclerosis risk in communities study. J Am Heart Assoc 2014; 3: e000797.

- [17] Bauer M, Hoffmann B, Mohlenkamp S, Lehmann N, Moebus S, Roggenbuck U, Berg C, Kalsch H, Mahabadi AA, Kara K, Jockel KH and Erbel R. [Distribution of carotid intima media thickness in men and women with and without coronary heart disease. Cross-sectional Data of the Heinz Nixdorf Recall Study]. Herz 2013; 38: 501-8.
- [18] den Ruijter HM, Vaartjes I, Sutton-Tyrrell K, Bots ML and Koffijberg H. Long-term health benefits and costs of measurement of carotid intima-media thickness in prevention of coronary heart disease. J Hypertens 2013; 31: 782-90.
- [19] Varri M, Tuomainen TP, Honkanen R, Rikkonen T, Niskanen L, Kroger H and Tuppurainen MT. Carotid intima-media thickness and calcification in relation to bone mineral density in postmenopausal women-the ostpre-bba study. Maturitas 2014; 78: 304-9.
- [20] Lusin TT, Mrhar A, Marc J, Trontelj J, Zavratnik A, Zegura B, Pfeifer M and Ostanek B. Inverse correlation of carotid intima-media thickness with raloxifene serum levels in osteoporosis. Wien Klin Wochenschr 2014; 126:403-08.
- [21] Fodor D, Bondor C, Albu A, Popp R, Pop IV and Poanta L. Relationship between vkorc1 single nucleotide polymorphism 1173c>t, bone mineral density & carotid intima-media thickness. Indian J Med Res 2013; 137: 734-41.
- [22] Ozkaya E, Cakir E, Okuyan E, Cakir C, Ustun G and Kucukozkan T. Comparison of the effects of surgical and natural menopause on carotid intima media thickness, osteoporosis, and homocysteine levels. Menopause 2011; 18: 73-6.