## Erratum KLF4 suppresses the migration of hepatocellular carcinoma by transcriptionally upregulating monoglyceride lipase: Am J Cancer Res. 2018; 8(6): 1019-1029

Xuejun Yang<sup>1,2\*</sup>, Dongmei Zhang<sup>1,2\*</sup>, Sha Liu<sup>1,2\*</sup>, Xiaojie Li<sup>1,2</sup>, Wanglai Hu<sup>3</sup>, Chuanchun Han<sup>1,2</sup>

<sup>1</sup>Institute of Cancer Stem Cell and Department of General Surgery of The First Affiliated Hospital of Dalian Medical University, Dalian 116044, China; <sup>2</sup>Department of Physiology of College of Basic Medical Science, College of Stomatology of Dalian Medical University, Dalian 116044, China; <sup>3</sup>Department of Immunology, Anhui Medical University, Hefei 230032, China. \*Equal contributors.

Received March 9, 2023; Accepted April 2, 2023; Epub April 15, 2023; Published April 30, 2023

In the article, we found that the pictures of shMGLL No. 1 and No. 2 in **Figure 2B** were wrongly presented. The picture of KLF4 OE+ shRNA MGLL of SNU449 cell in **Figure 5B** and the picture of KLF4 OE+shRNA CTR of BEL7402 cell were misused. Thus, we corrected it. The corrected **Figures 2B** and **5B**, **5D** was shown below. This correction does not change the conclusion of the article. Furthermore, we apologize to the readership of the Journal for any inconvenience caused.

Address correspondence to: Chuanchun Han, Institute of Cancer Stem Cell and Department of General Surgery of The First Affiliated Hospital of Dalian Medical University, Dalian 116044, China; Department of Physiology of College of Basic Medical Science, College of Stomatology of Dalian Medical University, Dalian 116044, China. Tel: +8641186110500; Fax: +8641186110500; E-mail: hanchuanchun@163.com; Wanglai Hu, Department of Immunology, Anhui Medical University, Hefei 230032, China. E-mail: wanglaihu@ahmu.edu.cn



## KLF4 transcriptionally upregulates MGLL expression

**Figure 2.** MGLL inhibits HCC cells migration. A. MGLL was knocked down in BEL7402 and SNU449 cells. The protein levels of MGLL were detected by western blotting. B-E. Effects of MGLL on migration were examined by transwell and wound healing assays. The results are representative of three independent experiments. \*P<0.05, \*\*P<0.01 and \*\*\*P<0.001 vs Ctr. F. MGLL was overexpressed in BEL7402 and SNU449 cells. The expression levels of MGLL were detected by western blotting. G-J. Effects of MGLL on migration were examined by transwell and wound healing assays. The results are representative of three independent experiments. \*P<0.05, \*\*P<0.01 were detected by western blotting. G-J. Effects of MGLL on migration were examined by transwell and wound healing assays. The results are representative of three independent experiments. \*P<0.05, \*\*P<0.01 and \*\*\*P<0.001 vs Ctr.



Figure 5. KLF4 suppressed HCC migration via regulation of MGLL. A. MGLL was knocked down in SNU449 and BEL7402 cells with or without KLF4 overexpression. Cell lysates were then subjected to western blotting analysis using the indicated antibodies. B-E. Effects of MGLL on migration were examined by transwell and wound healing assays. The results are representative of three independent experiments. \*P<0.05, \*\*P<0.01 and \*\*\*P<0.001 vs Ctr.