

Erratum

cAMP induces cell apoptosis in multiple myeloma and overcomes bortezomib resistance: Am J Cancer Res. 2018; 8(1): 16-29

Yingying Wang^{1*}, Yong Tang^{1*}, Haifang Hang¹, Mingming Wang¹, Yuyang Pang¹, Yehua Yu¹, Yingli Wu², Qi Zhu¹

¹Department of Hematology, Shanghai Ninth People's Hospital Affiliated to Shanghai Jiao Tong University School of Medicine, Shanghai 200011, P. R. China; ²Hongqiao International Institute of Medicine, Shanghai Tongren Hospital/Faculty of Basic Medicine, Chemical Biology, Division of Shanghai Universities E-Institutes, Key Laboratory of Cell Differentiation and Apoptosis of The Chinese Ministry of Education Affiliated to Shanghai Jiao Tong University School of Medicine, Shanghai 200025, P. R. China. *Equal contributors.

Received March 25, 2025; Accepted March 28, 2025; Epub April 25, 2025; Published April 30, 2025

An error has been found that we mistakenly used incorrect Actin controls in **Figure 6C**. Therefore, we would like to publish this Erratum to reflect this change. We sincerely apologize for this oversight and the additional work it may have caused. The corrected **Figure 6** is shown below.

Address correspondence to: Dr. Qi Zhu, Department of Hematology, Shanghai Ninth People's Hospital Affiliated to Shanghai Jiao Tong University School of Medicine, 639 Zhi-Zao Ju Road, Shanghai 200011, P. R. China. Tel: +86-13764188348; Fax: +86-21-63136856; E-mail: zhuqi70@hotmail.com;

Dr. Yingli Wu, Hongqiao International Institute of Medicine, Shanghai Tongren Hospital/Faculty of Basic Medicine, Chemical Biology, Division of Shanghai Universities E-Institutes, Key Laboratory of Cell Differentiation and Apoptosis of The Chinese Ministry of Education, Shanghai Jiao Tong University School of Medicine, Shanghai 200025, P. R. China. Tel: +86-13641703021; Fax: +86-21-64154900; E-mail: wuyingli@shsmu.edu.cn




Figure 6. 8-CPT-cAMP enhanced the ER stress induced by bortezomib. The expression of CHOP and ATF4 (ER stress markers) was measured at the mRNA (A, B) and protein (C, D) levels after the treatment of H929 and H929-R cells with 8-CPT-cAMP, bortezomib, or their combination for 24 h in. H929-R, H929 bortezomib-resistant cells; ER, endoplasmic reticulum. *P < 0.05, **P < 0.01. The experiments were performed in triplicate.