






























































































































































































































MR effect size for
'Oleoyl-linoleoyl-glycerol (18:1 to 18:2) [2] to linoleoyl-arachidonoyl-glycerol (18:2 to 20:4) [2] ratio' on 'Kidney Cancer (A



























































































































































































MR effect size for
'Oleoyl–linoleoyl–glycerol (18:1 to 18:2) [2] to linoleoyl–arachidonoyl–glycerol (18:2 to 20:4) [2] ratio' on 'Clear Cell C
























































































































































































MR effect size for
'1-palmitoyl-2-arachidonoyl-gpc (16:0/20:4n6) levels' on 'Adenocarcinoma & Papillary Adenocarcinoma'



















MR effect size for
'3-hydroxyisobutyrate to adenosine 5'-diphosphate (ADP) ratio' on 'Adenocarcinoma & Papillary Adenocarcinoma'









































































































































All - Inverse variance weighted

All - MR Egger

ST15523

30006

505

605

705

805

905

1005

1105

1205

1305

1405

1505

1605

1705

1805

1905

2005

2105

2205

2305

2405

2505

2605

2705

2805

2905

3005

3105

3205

3305

3405

3505

3605

3705

3805

3905

4005

4105

4205

4305

4405

4505


-20


-10


0


10


MR effect size for
'X-15523 levels' on 'Chromophobe Cell Carcinoma'












































MR effect size for
'N-stearoyl-sphingosine (d18:1 to 18:0) to N-palmitoyl-sphinganine (d18:0 to 16:0) ratio' on 'Chromophobe Cell Ca