

Erratum

Accuracy of ^{68}Ga -PSMA-11 PET/CT and multiparametric MRI for the detection of local tumor and lymph node metastases in early biochemical recurrence of prostate cancer: Am J Nucl Med Mol Imaging 2020; 10(2): 106-118

Maija Radzina¹, Mara Tirane¹, Lilita Roznere¹, Liene Zemniece¹, Laura Dronka¹, Marika Kalnina², Edgars Mamis², Juergen Biederer^{5,6}, Vilnis Lietuvietis³, Arvis Freimanis³, Egils Vjaters^{4,5}

¹Riga Stradins University, Radiology Research Laboratory, Riga, Latvia; ²Riga Stradins University Nuclear Medicine Clinic, Riga, Latvia; ³Center of Urology, Riga East University Hospital, Riga, Latvia; ⁴Center of Urology, Pauls Stradins Clinical University Hospital, Riga, Latvia; ⁵University of Latvia, Riga, Latvia; ⁶Department of Diagnostic and Interventional Radiology, University Hospital of Heidelberg, Heidelberg, Germany

Received March 14, 2024; Accepted June 15, 2024; Epub June 15, 2024; Published June 30, 2024

The missing sentence in “Acknowledgements” section is: This study was funded by Latvian Council of Science, Funding number: Izp-2019/1-0056 “Impact of Targeted Molecular Imaging with ^{18}F -PSMA-1007 and ^{68}Ga -PSMA-11 PET/CT in Multimodal Evaluation of Recurrent Prostate Cancer”. So, we would like to publish this Erratum to reflect this change. The authors express regrets for this mistake.

Address correspondence to: Dr. Maija Radzina, Riga Stradins University, Radiology Research Laboratory, Riga, Latvia. Tel: +371-29623585; E-mail: maija.radzina@rsu.lv