Original Article

Diagnostic value of combining CA 19-9 and K-ras gene mutation in pancreatic carcinoma: a meta-analysis

Jiangning Gu1*, Di Wang2*, Ya Huang4*, Yi Lu3, Chenghong Peng1

¹Department of General Surgery, Ruijin Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai, People's Republic of China; ²Department of Prophylactic Medicine, Shanghai First People's Hospital, Shanghai Jiao Tong University, Shanghai, People's Republic of China; ³Department of Gastroenterology, Ruijin Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai, People's Republic of China; ⁴Department of Endocrine, Ruijin Hospital, School of Medicine, Shanghai Jiao Tong University, Shanghai, People's Republic of China. *Equal contributors.

Received August 8, 2014; Accepted September 15, 2014; Epub October 15, 2014; Published October 30, 2014

Abstract: Aims: To assess diagnostic value of Carbohydrate Antigen 19-9 (CA 19-9), combined CA 19-9 and Kras mutation in plasma DNA in diagnosing patients with pancreatic carcinoma. Materials and methods: MEDLINE, EMBASE, the Cochrane Library, Sinomed, CNKI and other databases, from established to November, 2013, were searched for initial studies. All the studies published in English or Chinese relating to the diagnostic value of CA 19-9 and K-ras gene mutation for patients with pancreatic cancer were collected. Methodological quality was assessed. The statistic software called "Meta-disc" (version 1.4) was used for data analysis. Results: 10 studies were included in this meta-analysis. The pooled sensitivity estimate for CA 19-9 (78%) was significantly higher than K-ras mutation (65%). While, for the specificity estimate, K-ras mutation (93%) was significantly higher than CA 19-9 (77%). The pooled DOR estimate for K-ras mutation (21.82) was significantly higher than CA 19-9 (18.36). SROC curves for K-ras mutation showed better diagnostic accuracy than CA 19-9. For CA 19-9 measurement, its diagnostic value decreased in differentiating pancreatic cancer for patients with pancreatitis, especially chronic process. Conclusion: CA 19-9 was a high sensitive and K-ras was a high specific method in diagnosing patients with pancreatic cancer. These two modalities probably act different roles during different conditions in diagnosing pancreatic carcinoma.

Keywords: Carbohydrate antigen 19-9, K-ras mutation, pancreatic carcinoma, diagnosis, meta-analysis

Introduction

Pancreatic carcinoma (PC) is currently one of the most aggressive malignant tumors and a leading cause of cancer-related death. Despite the advances of diagnostic and therapeutic methods, PC remains distressing outcome with poor 5-year survival rate less than 5% [1, 2]. Radical resection at early stage is the only chance for patients to get long survival time [3]. Unfortunately, lack of early symptoms, biomarkers and its biological features, most were diagnosed either locally advanced or clinical evident metastases but only ~20% of patients with pancreatic cancer are considered suitable for surgery [4, 5]. Since PC is resistant to radiotherapy and chemotherapy, early diagnosis seems to be the sole option to improve survival rate.

Tumor-associated antigen CA 19-9 is a glycoprotein produced by gastric and pancreatobiliary tumors. In the past decades, CA 19-9 has been considered to be the most widely used marker in the management of carcinoma of pancreas [6]. However, CA 19-9 is usually evaluated in benign pancreatobiliary diseases, especially in chronic pancreatitis [7], so the specificity is not satisfied. Moreover, CA 19-9 is limited by the Lewis status [8].

K-ras is a common oncogene in human and it can bind guanine nucleotide involving growth factor signal transduction pathway, while pathological mutation of K-ras leads to cell proliferation [9]. Some scholars consider that K-ras mutation is an important and early event in tumorigenesis [10-12] and it could break by Lewis antigen limitation with better specificity.

So detecting K-ras mutation in plasma DNA could be used as a potential tumor marker in diagnosing patients with pancreatic carcinoma. However, some doctors hold an opinion that the relationship between K-ras mutation and pancreatic cancer is not positive correlation [13].

The aim of this meta-analysis is to evaluate and compare whether combined K-ras and CA 19-9 can improve the diagnostic value of pancreatic carcinoma, and find the best non-invasive diagnostic method for pancreatic carcinoma.

Materials and methods

Article search

A systematic article search was carried out to identify studies assessing the diagnostic value of CA 19-9 and K-ras gene mutation for human pancreatic carcinoma. The PubMed, Embase and Cochrane Library, from established to October 2013, were searched with the following words: (Antigens, Tumor-Associated, Carbohydrate OR CA 19-9 Antigen OR CA 19-9) AND (Genes, ras OR ras Gene OR K-ras Oncogene OR K-ras Gene OR ras Oncogene) AND (pancreatic neoplasm OR pancreas neoplasm OR pancreas cancer OR pancreatic cancer OR pancreatic carcinoma OR pancreas carcinoma). The SinoMed, CNKI and VIP databases were searched with the following keywords: (CA 19-9 AND K-ras) AND pancreatic carcinoma (in Chinese). Other databases, such as Web of Science, Elsevier were also checked with relevant articles with similar method.

Study extraction

Two investigators, who were blind to the journal, author, institution and date of publication, independently evaluated every article. According to a standardized data extraction form, we read all the abstracts in order to the potentially eligible articles and after that we manage to get full text to determine whether they are exactly eligible. Disagreements were resolved by discussion with the third investigator.

Studies were included if they (1) Articles were reported in English or Chinese. (2) Presented original data sufficient to calculate true-positive (TP), false-positive (FP), true-negative (TN) and false negative (FN). (3) Pancreatic carcinoma was diagnosed by at least one of the following: computerized tomography (CT), ERCP, lapa-

roscopy/laparotomy and confirmed by histology. (4) Detecting CA 19-9 level and *K-ras* gene mutation for every pancreatic patient and control one. (5) Included more than 10 patients in the study. (6) The studies were based on perpatient statistics. (7) We just take the pancreatic ductal adenocarcinoma (PDAC) into our study. (8) Concerning to the quality of study design, only the article in which the number of the answer 'yes' for the 14 questions in QUADAS quality assessment tool [14] was more than 9 was included.

The excluded criteria were as follows: (1) Articles did not contain primary data such as reviews, case reports, comments, editorials, letters and congress. (2) Detecting CA 19-9 level or K-ras gene mutation in pancreatic specimen, pancreatic juice or stool instead of plasma. (3) Diagnosis of pancreatic carcinoma with other existing disease and could not be differentiated. (4) Other types of PC like Pancreatic cystic tumors or neuroendocrine tumors. (5) No comparison group. (6) Not in humans. (7) If the data duplicates, we just extract the latest one. (8) Golden diagnostic standard is not specified.

Quality assessment

A quality assessment tool for diagnostic accuracy studies, named "QUADAS", was used to assess the quality and extract relevant study design characteristics of included studies. This tool is an evidenced-based quality assessment tool developed for use in systematic reviews of studies of diagnostic accuracy and was fully described by Whiting [14].

Statistic analysis

We use statistic software "Meta-disc" (version 1.4) to analyze data for CA 19-9 and K-ras mutation. We calculate pooled sensitivity, specificity and diagnostic odds ratio (DOR) for each modality. We also calculated summary receiver operating characteristic curves (SROC) and *Q index. It is defined by the point where sensitivity and specificity are equal, which is the closest point to the ideal top-left corner of the SROC space.

The Galbraith plots (visual inspection of forest plots of accuracy estimates) and the I² value were used to assess heterogeneity among the studies included in the meta-analysis. A fixed-




Figure 1. Studies evaluated for inclusion in this meta-analysis.

effects model was utilized if no homogeneity existed among different studies, while a random-effects model was used if heterogeneity existed.

Results

3227

Literature search and selection of the studies

The detailed procedure of article selection in the meta-analysis was showed in Figure 1. A total of 246 reference publications were identified by the predefined search strategy. We used "Endnote X6" to manage the articles. Finally, 11 articles fulfilled all the inclusion criteria and were selected for data extraction and data analysis. We got all the full text for the 10 [13, 15-23] eligible articles. One article can't be found because it was published long before. Table 1 shows the basic characteristics of the 10 studies included the meta-analysis. CA 19-9 concentration and K-ras mutation were simultaneous measured. 37 u/L was considered as the most optimal cut-off value for positive diagnosis. Though Livia Theodor's study used the cut-off value as 100 u/L, it showed every patient's specific consequence so that we can calculate TP, FP, TN, FN by statistical evaluation. Radioimmunoassay (RIA) and enzyme linked immunosorbent assay (ELISA) were used to gauge CA 19-9 concentration. Methods evaluating K-ras mutation were all based on PCR technique, including PCR-restriction fragment length polymorphism (PCR-RFLP), PCR-single strand conformational polymorphism (PCR- SSCP) and PNA mediated PCR clamping. According to clinical experience, pathological diagnosis was the golden standard, imagiological examination and clinical manifestation were also used as direct evidence to diagnose pancreatic carcinoma.

Methodological quality assessment

We used the "QUADAS" quality assessment tool to evaluate each study. All the eligible studies' score was more than 9 in the 14 questions, indicating good quality.

Summary estimates of sensitivity, specificity and diagnos-

tic odds ratio

The pooled sensitivity for CA 19-9 and K-ras mutation were 78% (95% CI: 0.73, 0.82) and 65% (95% CI: 0.60, 0.70), respectively. And the pooled specificity for them were 77% (95% CI: 0.71, 0.82) and 93% (95% CI: 0.89, 0.95), respectively. Herein, for the sensitivity estimates, it was significantly higher for CA 19-9 than K-ras mutation (p < 0.05). For To estimate the specificity, K-ras mutation was significantly higher than CA 19-9 (p < 0.05). However, to the studies for CA 19-9, both of the specificity (heterogeneity $I^2 = 75.5\%$) and specificity ($I^2 =$ 77.3%) were highly heterogeneous, which affected the diagnostic value of CA 19-9. Compared with CA 19-9, the heterogeneity of studies about K-ras was much lower (sensitivity: heterogeneity $I^2 = 44.5\%$, specificity: heterogeneity $I^2 = 54.3\%$) The forest plots were showed in Figures 2 and 3.

The DOR expresses how much greater the odds of having the disease are for the people with a positive test result than for the people with a negative test result. The pooled DOR for CA 19-9 and K-ras mutation were 18.36 (95% CI: 6.82-49.41) and 21.82 (95% CI: 12.02-39.62). The DOR estimate for K-ras mutation is significantly higher than CA 19-9 (p < 0.05).

Heterogeneity assessing and subgroup analysis

Evaluated by plotting the sensitivity and specificity from these two studies on forest plots and

Table 1. Basic characteristics of the 10 studies included the meta-analysis

Reference	Standard	Cut-off value (CA 19-9)	Patients	Mean age	Method (CA199/K-ras)
Livia Theodor et.al.	CT/ERCP Pathology/laparoscopy	37 u/L*	20	70.6	ELISA‡ PCR-RFLP††
Changliang Wu et al.	CT/ERCP pathology	37 u/L	12	61.7	RIA [†] PCR-MASA
Dianxu Feng et al.	Pathology	37 u/L	90	61	RIA PCR-RFLP
Han Lin et al.	pathology	37 u/L	20	60.1	ELISA PCR-MASA/RFLP
Lijuan Xing et al.	CT/pathology	37 u/L	36	62.4	ELISA PCR-RFLP
Menghua Dai et al.	pathology	37 u/L	15	56	RIA PNA-PCR clamping
Rodolfo Marchese et al.	pathology	37 u/L	30	65.3	RIA PCR-RFLP
Lishu Xu et al.	CT/pathology clinical manifestation	37 u/L	50	58	RIA PCR-PFLP
F Marie et al.	CT/ERCP pathology	37 u/L	47	65	ELISA PCR-RFLP
Jan Dabritz et al.	CT/ERCP pathology	37 u/L	56	59.7	ELISA PNA-PCR clamping

[†]RIA: Radioimmunoassay; ‡ELISA: enzyme linked immunosorbent assay; ††PCR-RFLP: polymerase chain reaction-restriction fragment length polymorphism.




Figure 2. Pooled sensitivity and specificity of CA 19-9 in diagnosis of pancreatic carcinoma.

calculating the heterogeneity I^2 value, significant heterogeneity was found among study results of CA 19-9.

Threshold was one important extra source of variation in meta-analysis. If this effect appears, combining study results in these cases involves fitting an ROC curve would be better than pooling sensitivities and specificities. To decide whether the threshold effect existed or not, the Spearman correlation effect (-0.169) and *p*-value (0.620) were applied to test. Besides, the ROC plane doesn't show a curvilinear pattern. These two results showed no threshold effect in this meta-analysis.

Meta-regression analysis was used to explore other sources of heterogeneity in the studies for CA 19-9. We used the multi-variable regression model, with a backward stepwise algorithm. Variables evaluated included published year, detection method, sample size and region. Finally, detection method of CA 19-9, including enzyme immunosorbent assay (ELISA) and radioimmunoassay (RIA), was the source of heterogeneity.

The results of subgroup analysis of CA 19-9 (ELISA vs. RIA) were also presented in **Table 2**. For CA 19-9, the sensitivity, specificity, DOR and *Q index for studies that used ELISA to detect CA 19-9 were higher than those used RIA method (p < 0.05).

Summary ROC curves and the *Q index

The SROC curve and the *Q index for CA 19-9 and *K-ras* mutation were showed in **Figures 4**, **5**. Because of the heterogeneity and no threshold effect, we chose the random-effect model




Figure 3. Pooled sensitivity and specificity of K-ras gene mutation in diagnosis of pancreatic carcinoma.

Table 2. subgroup analysis of CA19-9

Tumor markers	Pooled sensitivity	Pooled specificity	DOR	*Q
CA 19-9				
overall	0.78 (0.73-0.82)	0.77 (0.71-0.82)	18.36 (6.82-49.41)	0.8144
RIA	0.76 (0.70-0.81)	0.69 (0.61-0.75)	7.66 (3.29-17.84)	0.7545
ELISA	0.81 (0.74-0.87)	0.92 (0.85-0.97)	93.98 (29.72-297.18)	0.9075
K-ras				
overall	0.65 (0.60-0.70)	0.93 (0.89-0.95)	21.82 (12.02-39.62)	0.7811

to synthesize the ROC curves for CA 19-9. While the fixed-effect model was applied for K-ras mutation. The AUC of CA 19-9 and K-ras mutation were 0.8839 and 0.8500 respectively. The $^*\text{Q}$ index estimates for them were 0.8144 and 0.7811, respectively.

Discussion

Although the biopsy like endoscopic ultrasound guided fine needle aspiration (EUS-FNA) is the most accurate method, due to its invasive characteristic, few people would accept it, especially for health screening. The importance of tumor markers can't be overstressed. Detection of blood-based tumor markers was shown to be a promising and non-invasive assay [24]. Various kinds of tumor markers were expanding nowadays, but clinical use of these markers lags behind. For pancreatic ductal adenocarcinoma, this is most pronounced [25, 26]. CA 19-9 is mainly synthesized by pancreatic duct,

as well as epithelium cells of gastrointestinal tract and biliary system. At the same time, it is the sole FDA approved tumor marker suggested for use in management of PDAC patients. It is widely used for diagnosing and evaluating prognostic survival rate. In recent years, an increasing number of sch-

olars have been arguing its role in utilizing in the field of PDAC. Low specificity [27] and limiting by Lewis status [28] restricted its range of application.

Ras family are most common oncogene mediating signal transduction pathways, which involves inflammation and cells proliferation [29]. *K-ras* mutational activation is an early event in tumorigenesis [30]. Reports have shown that *K-ras* mutation in PDAC up to 47%-100% and most often in 12 [31-33]. With the development of molecular biology, detecting of *K-ras* mutation in serum via PCR based technique is possible and efficient [33]. Since its high mutation rates in many kings of cancers, some scholars regard it as a potential tumor marker.

In this meta-analysis, we found CA 19-9 was more sensitive and K-ras mutation was a more specific modality for patients suspected to




Figure 4. Summary receiver-operating characteristic (SROC) curves of CA 19-9 for assessment of pancreatic carcinoma.

have pancreatic cancer. These results indicate that CA 19-9 and K-ras mutation would play different roles in diagnosing PDAC. But the diagnostic value of CA 19-9 is restricted by its high heterogeneity. In order to explore the sources of heterogeneity in the studies for CA 19-9, threshold analysis and meta-regression were performed. Since according to the Spearman correlation effect and p-value, no threshold effect was found in these studies, the heterogeneity for CA 19-9 was caused by other factors including published year, sample size, detection assay etc. The results of meta-regression analysis indicate that the detection assay is the most important characteristic, which significantly influenced its diagnostic accuracy. Subgroup analysis showed that detecting CA 19-9 concentration by RIA assay would decrease its diagnostic value. This is perhaps these two methods- ELISA and RIA- have different characteristics, in terms of a specific solely antigen, ELISA has more advantage than RIAhigher throughout put [34].

Overall, PDAC portends a very poor prognosis, even for the minority of patients diagnosed at early stage who are amenable to surgical resection. Currently, clinicians usually take advantage of pathologic features, imageological examination and CA 19-9 levels to guide therapeutic strategies [35]. Even the arguments of CA 19-9 in diagnosing PDAC is increasing, it still remains the most widely used tumor markers in the management of PDAC patients [36]. Nevertheless, because of lower levels in early stage pancreatic cancer, CA 19-9 is unsatisfied for screening healthy people or small tumors [37]. Since the biomarkers for PDAC falls behind other solid tumors, this field has been expanding in recent years which includes other canbonhydrate antigens [38-40] (CA242, CA50, CA125), carcinoembryonie antigen (CEA), Dupan-2 [41], Span-1 [42], osteopontin, tissue inhibitor of metalloproteinase I [43] (TIMP I), matrix metalloproteinase 7 [43] (MMP-7) and genetic diagnosis (K-ras and p53). Among these tumor markers, we chose K-ras to com-




Figure 5. Summary receiver-operating characteristic (SROC) curves of k-ras gene mutation for assessment of pancreatic carcinoma.

pare with CA 19-9 for diagnosing pancreatic cancer. Although the sensitivity for K-ras mutation is lower than CA 19-9, its specificity is better in our study. Perhaps this is because K-ras mutation does not increase in pancreatitis and it often occurred in the early stage of tumorigenesis. This will be right for high volume screening. While CA 19-9, and many kinds of tumor markers, usually elevate in biliary tract diseases [44] including biliary calculi, common bile duct carcinoma and biliary inflammation [33, 45]. This case will significantly influence the diagnostic value. Gemmel C et al. [46] showed that combination of blood-based markers, genetic markers and imaging methods might be the future for pancreatic screening. Continued efforts are needed to clarify efficient testing panel to identify patients without hereditary risk factors who will benefit from screening protocol. Traditional ultrosonography represents the first and convenient imaging assay for the study of PDAC. High resolution CT is regarded as the golden standard in the study of pancreatic lesions and tumor stage, contrastenhanced CT has significantly improved the diagnostic accuracy of this assay. MR including MRCP supplies better study of pancreatic cystic lesions and pancreatic ductal system. Overall, final confirmation of a lesion relies on image-guided fine needle aspiration (FNA). Other assays like PET/CT remains the techniques employed as third-line examinations.

Ideal tumor markers should have 100% sensitivity and organ-specificity, while we search for the ideal markers, increasing reports [47-49] suggest that the studies also need to extend beyond the analysis of blood proteins and include molecules like (mi)RNA [50] and DNA. Sample related to PDAC such as pancreatic juice, cystic fluid and FNA specimens are likely to provide the clues of new molecules that will form the foundation for improved method in the near future. Sadly to say, therapeutic assays are very limited because of the late-stage diagnosis, which stresses the importance of the assessment of new molecular markers to improve the early diagnostic rate [51]. Additional studies are needed before applying these markers into routine clinical use for diagnosing PDAC. To realization of screening panels currently seems to be the only way to reduce the mortality of PDAC, since the paucity of options for treatment beyond surgical.

In our study, bias was considered. For selection bias, besides the PubMed and EMBASE databases, the Cochrane library, Sinomed, CNKI were searched for eligible articles. Not only original studies but also academic dissertations were included. To decrease bias, two reviewers were blinded to the author, journal, institution and published date, independently chose articles on the basis of inclusion criteria. QUADAS scores ensure the quality of articles. Only the answer for the 14 questions in QUADAS assessment was over 9, was selected.

Nevertheless, some limitations still exist in our study. Since only the articles published in English and Chinese were selected in this meta-analysis. This would rise to inevitable bias. But this bias has little impact because most studies of high quality were published in English. We found that the quality of English article have always favored Chinese ones. We tried to analyze publication bias by evaluating of whether the size of studies and published year were associated with the results for diagnostic accuracy. While sample size as well as published year had no relationship with diagnostic accuracy. Confirmation bias was also taken into consideration. In these studies, references standard ranges from pathological analysis to clinical manifestation and imaging method. We tried to reveal that whether the type of assays influences diagnostic accuracy, while the results showed that no significant difference can be found. However, some drawbacks still exist. The major problem is that no perspective trials of high quality could be searched in the above databases. But for the trails in terms of tumor markers, most trails move a retrospective approach. The other problem is that the control group included various diseases including acute pancreatitis, chronic pancreatitis, non-gastrointestinal malignant diseases and healthy controls, if we can explore the role of CA 19-9 and K-ras mutation in different groups, these would be a promising study and that is also our future plan.

Conclusions

CA 19-9 and K-ras mutation could play different roles in diagnosing PDAC. Though the sensi-

tivity of CA 19-9 is high, while its specificity is lower than K-ras mutation.

Acknowledgements

The author thanks the information resource of Shanghai Jiao Tong University, School of Medicine. Professor Xiaochun Qiu offered great assistance to our work.

Address correspondence to: Dr. Chenghong Peng, Department of General Surgery, Ruijin Hospital, Shanghai Jiaotong University, 197 Ruijin 2nd Road, Shanghai 200025, People's Republic of China. Fax: +86 21 5466 0106; E-mail: Chhpeng@188.com

References

- [1] Cowley MJ, Chang DK, Pajic M, Johns AL, Waddell N, Grimmond SM, Biankin AV. Understanding pancreatic cancer genomes. J Hepatobiliary Pancreat Sci 2013; [Epub ahead of print].
- [2] Kedia P, Gaidhane M and Kahaleh M. Technical Advances in Endoscopic Ultrasound (EUS)-Guided Tissue Acquisition for Pancreatic Cancers: How Can We Get the Best Results with EUS-Guided Fine Needle Aspiration? Clin Endosc 2013; 46: 552-562.
- [3] Dabritz J, Hanfler J, Preston R, Stieler J, Oettle H. Detection of Ki-ras mutations in tissue and plasma samples of patients with pancreatic cancer using PNA-mediated PCR clamping and hybridisation probes. Br J Cancer 2005; 92: 405-412.
- [4] Benson AB 3rd. Adjuvant therapy for pancreatic cancer: one small step forward. JAMA 2007; 297: 311-313.
- [5] Philip PA, Mooney M, Jaffe D, Eckhardt G, Moore M, Meropol N, Emens L, O'Reilly E, Korc M, Ellis L, Benedetti J, Rothenberg M, Willett C, Tempero M, Lowy A, Abbruzzese J, Simeone D, Hingorani S, Berlin J, Tepper J. Consensus report of the national cancer institute clinical trials planning meeting on pancreas cancer treatment. J Clin Oncol 2009; 27: 5660-5669.
- [6] Fry LC, Monkemuller K and Malfertheiner P. Molecular markers of pancreatic cancer: development and clinical relevance. Langenbecks Arch Surg 2008; 393: 883-890.
- [7] Watanabe H, Kawakami H, Yamakawa O, Satomura Y, Ohta H, Motoo Y, Okai T, Sawabu N. Clinical usefulness of tumor markers associated with pancreatic cancer. Rinsho Byori 1994; 42: 127-138.
- [8] Lamerz R. Role of tumour markers, cytogenetics. Ann Oncol 1999; 10 Suppl 4: 145-149.
- [9] Duffy MJ, Sturgeon C, Lamerz R, Haglund C, Holubec VL, Klapdor R, Nicolini A, Topolcan O, Heinemann V. Tumor markers in pancreatic

- cancer: a European Group on Tumor Markers (EGTM) status report. Ann Oncol 2010; 21: 441-447.
- [10] Almoguera C, Shibata D, Forrester K, Martin J, Arnheim N, Perucho M. Most human carcinomas of the exocrine pancreas contain mutant c-K-ras genes. Cell 1988; 53: 549-554.
- [11] Grunewald K, Lyons J, Frohlich A, Feichtinger H, Weger RA, Schwab G, Janssen JW, Bartram CR. High frequency of Ki-ras codon 12 mutations in pancreatic adenocarcinomas. Int J Cancer 1989; 43: 1037-1041.
- [12] Smit VT, Boot AJ, Smits AM, Fleuren GJ, Cornelisse CJ, Bos JL. KRAS codon 12 mutations occur very frequently in pancreatic adenocarcinomas. Nucleic Acids Res 1988; 16: 7773-7782.
- [13] Marchese R, Muleti A, Pasqualetti P, Bucci B, Stigliano A, Brunetti E, De Angelis M, Mazzoni G, Tocchi A, Brozzetti S. Low correspondence between K-ras mutations in pancreatic cancer tissue and detection of K-ras mutations in circulating DNA. Pancreas 2006; 32: 171-177.
- [14] Whiting P, Rutjes AW, Reitsma JB, ssuyt PM, Kleijnen J. The development of QUADAS: a tool for the quality assessment of studies of diagnostic accuracy included in systematic reviews. BMC Med Res Methodol 2003; 3: 25.
- [15] Theodor L, Melzer E, Sologov M, Bar-Meir S. Diagnostic value of K-ras mutations in serum of pancreatic cancer patients. Ann N Y Acad Sci 2000; 906: 19-24.
- [16] Wu CL and Qiu FB. Evaluating the clinical significance of detecting K-ras gene point mutation and CA 19-9, CA 242 test in peripheral blood of patients with pancreatic carcinoma. 2011.
- [17] Feng DX, Han F, Zhang SD, et al. Clinical value of plasma K-ras mutation and serum tumor markers in diagnosis of pancreatic carcinoma. Journal of Hepatopancreatobiliary Surgery 2004; 16: 182-186.
- [18] Lin H, Li ZS, Gao J, et al. The application of kras gene mutation of peripheral blood in diagnosing pancreatic carcinoma. Chin J Pancreatol 2009; 9: 312-314.
- [19] Xing □, Wang XW and Xin H. The diagnostic effect of combined k-ras gene mutation, CA 19-9 and sialic acid level in pancreatic carcinoma. 2007: 1-32.
- [20] Dai MH, Zhao YP, Cai LX, Zhu Y. Combined detection of K-ras mutation and CA 19-9 level in plasma of patients with pancreatic cancer. Zhonghua Wai Ke Za Zhi 2003; 41: 332-335.
- [21] Xu LS, Mai YP, Zhang YH, et al. Combining CA 19-9 and k-ras gene mutation in diagnosing pancreatic carcinoma. The Journal of Practical Medicine 2005; 21: 2645-2646.
- [22] Maire F, Micard S, Hammel P, Voitot H, Lévy P, Cugnenc PH, Ruszniewski P, Puig PL. Differen-

- tial diagnosis between chronic pancreatitis and pancreatic cancer: value of the detection of KRAS2 mutations in circulating DNA. Br J Cancer 2002; 87: 551-554.
- [23] Dabritz J, Preston R, Hanfler J, Oettle H. Followup study of K-ras mutations in the plasma of patients with pancreatic cancer: correlation with clinical features and carbohydrate antigen 19-9. Pancreas 2009; 38: 534-541.
- [24] Wang Z and Tian YP. Clinical value of serum tumor markers CA 19-9, CA125 and CA72-4 in the diagnosis of pancreatic carcinoma. Mol Clin Oncol 2014; 2: 265-268.
- [25] Gui JC, Yan WL and Liu XD. CA 19-9 and CA242 as tumor markers for the diagnosis of pancreatic cancer: a meta-analysis. Clin Exp Med 2013; 14: 225-33.
- [26] Winter JM, Yeo CJ and Brody JR. Diagnostic, prognostic, and predictive biomarkers in pancreatic cancer. J Surg Oncol 2013; 107: 15-22.
- [27] Ballehaninna UK and Chamberlain RS. Biomarkers for pancreatic cancer: promising new markers and options beyond CA 19-9. Tumour Biol 2013; 34: 3279-3292.
- [28] Atkins CD. CA 19-9 and Lewis antigens in pancreatic cancer. J Clin Oncol 2009; 27: 2572-2573; author reply 2573.
- [29] Huang C, Wang WM, Gong JP, Yang K. Oncogenesis and the clinical significance of K-ras in pancreatic adenocarcinoma. Asian Pac J Cancer Prev 2013; 14: 2699-2701.
- [30] Minamoto T. Detection and characterization of oncogene mutations in preneoplastic and early neoplastic lesions. Methods Mol Biol 2014; 1105: 381-398.
- [31] Malumbres M and Barbacid M. RAS oncogenes: the first 30 years. Nat Rev Cancer 2003; 3: 459-465.
- [32] Kalthoff H, Schmiegel W, Roeder C, Kasche D, Schmidt A, Lauer G, Thiele HG, Honold G, Pantel K, Riethmüller G, et al. p53 and K-RAS alterations in pancreatic epithelial cell lesions. Oncogene 1993; 8: 289-298.
- [33] Shibata D, Capella G and Perucho M. Mutational activation of the c-K-ras gene in human pancreatic carcinoma. Baillieres Clin Gastroenterol 1990; 4: 151-169.
- [34] Grange RD, Thompson JP and Lambert DG. Radioimmunoassay, enzyme and non-enzymebased immunoassays. Br J Anaesth 2014; 112: 213-216.
- [35] Abdel-Misih SR, Hatzaras I, Schmidt C, Saab TB, Klemanski D, Muscarella P, Melvin WS, Ellison EC, Bloomston M. Failure of normalization of CA 19-9 following resection for pancreatic cancer is tantamount to metastatic disease. Ann Surg Oncol 2011; 18: 1116-1121

Joint value of CA 19-9 and K-ras mutation in pancreatic cancer

- [36] Buxbaum JL and Eloubeidi MA. Molecular and clinical markers of pancreas cancer. Jop 2010; 11: 536-544.
- [37] Goggins M. Molecular markers of early pancreatic cancer. J Clin Oncol 2005; 23: 4524-4531.
- [38] Banfi G, Bravi S, Ardemagni A, Zerbi A. CA 19.9, CA 242 and CEA in the diagnosis and follow-up of pancreatic cancer. Int J Biol Markers 1996; 11: 77-81.
- [39] Luo G, Xiao Z, Long J, Liu Z, Liu L, Liu C, Xu J, Ni Q, Yu X. CA125 is superior to CA 19-9 in predicting the resectability of pancreatic cancer. J Gastrointest Surg 2013; 17: 2092-2098.
- [40] Lucarotti ME, Habib NA, Kelly SB, Rothnie ND, Nelson O, Lindholm L, Cooper MJ, Wood CB, Williamson RC. Clinical evaluation of combined use of CEA, CA 19-9 and CA50 in the serum of patients with pancreatic carcinoma. Eur J Surg Oncol 1991; 17: 51-53.
- [41] Bussom S and Saif MW. Methods and rationale for the early detection of pancreatic cancer. Highlights from the "2010 ASCO Gastrointestinal Cancers Symposium". Orlando, FL, USA. January 22-24, 2010. Jop 2010; 11: 128-130.
- [42] Frena A. SPan-1 and exocrine pancreatic carcinoma. The clinical role of a new tumor marker. Int J Biol Markers 2001; 16: 189-197.
- [43] Joergensen MT, Brunner N and De Muckadell OB. Comparison of circulating MMP-9, TIMP-1 and CA 19-9 in the detection of pancreatic cancer. Anticancer Res 2010; 30: 587-592.
- [44] Hsu M, Sasaki M, Igarashi S, Sato Y, Nakanuma Y. KRAS and GNAS mutations and p53 overexpression in biliary intraepithelial neoplasia and intrahepatic cholangiocarcinomas. Cancer 2013; 119: 1669-1674.

- [45] Nomoto S, Nakao A, Kasai Y, Harada A, Nonami T, Takagi H. Detection of ras gene mutations in perioperative peripheral blood with pancreatic adenocarcinoma. Jpn J Cancer Res 1996; 87: 793-797.
- [46] Gemmel C, Eickhoff A, Helmstadter L, Riemann JF. Pancreatic cancer screening: state of the art. Expert Rev Gastroenterol Hepatol 2009; 3: 89-96.
- [47] Hoimes CJ, Moyer MT and Saif MW. Biomarkers for early detection and screening in pancreatic cancer. Highlights from the 45th ASCO annual meeting. Orlando, FL, USA. May 29-June 2, 2009. Jop 2009; 10: 352-356.
- [48] Sandblom G, Granroth S and Rasmussen IC. TPS, CA 19-9, VEGF-A, and CEA as diagnostic and prognostic factors in patients with mass lesions in the pancreatic head. Ups J Med Sci 2008: 113: 57-64.
- [49] Schonleben F, Qiu W, Bruckman KC, Ciau NT, Li X, Lauerman MH, Frucht H, Chabot JA, Allendorf JD, Remotti HE, Su GH. BRAF and KRAS gene mutations in intraductal papillary mucinous neoplasm/carcinoma (IPMN/IPMC) of the pancreas. Cancer Lett 2007; 249: 242-248.
- [50] Bhat K, Wang F, Ma Q, Li Q, Mallik S, Hsieh TC, Wu E. Advances in biomarker research for pancreatic cancer. Curr Pharm Des 2012; 18: 2439-2451.
- [51] Mendieta Zeron H, Garcia Flores JR and Romero Prieto ML. Limitations in improving detection of pancreatic adenocarcinoma. Future Oncol 2009; 5: 657-668.