

Erratum

FoxM1 influences mouse hepatocellular carcinoma metastasis in vitro: Int J Clin Exp Pathol. 2015; 8(3): 2771-2778

Ningning Zhang^{1*}, Yunpeng Xie^{2*}, Benke Li³, Zhen Ning⁴, Aman Wang¹, Xiaonan Cui¹

¹Department of Oncology, The First Affiliated Hospital of Dalian Medical University, Dalian 116011, Liaoning, China; ²Department of Biochemistry and Molecular Biology, Dalian Medical University, Dalian 116044, Liaoning, China; ³Department of Intervention, Dalian Sixth People's Hospital, Dalian 116037, Liaoning, China; ⁴Department of General Surgery, The First Affiliated Hospital, Dalian Medical University, Dalian 116011, Liaoning, China. *Equal contributors.

Received October 24, 2025; Accepted December 25, 2025; Epub January 15, 2026; Published January 30, 2026

In this article, we have found that two bands in **Figure 2B** (TIMP-2) and Figure 3B (Ezrin) were mistakenly duplicated. This error did not affect any conclusions of the paper. We sincerely apologize for any inconvenience this may have caused. The revised **Figure 2** is presented as follows.

Address correspondence to: Dr. Xiaonan Cui, Department of Oncology, The First Affiliated Hospital of Dalian Medical University, 222 Zhongshan Road, Dalian 116011, Liaoning, China. E-mail: xiao_nan_cui@163.com

FoxM1 influences hepatocellular metastasis




Figure 2. The effects of overexpressed FoxM1 on proliferation, and the expression of invasive proteins of Hca-P cells *in vitro*. A. qRT-PCR analysis of FoxM1, MMP-2 and MMP-9 in Hca-P cells. B. Western blot analysis of Ezrin, TIMP-1 and TIMP-2 in Hca-P cells. C. After overexpression of FoxM1, Scatter diagram of Hca-P cells' proliferation assay using CCK-8 over 96 hours.